## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-20-147 Relating to Certification of New Motor Vehicles

## ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That Isuzu Motors Limited 1996 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: TSZ3.22JGKEK <u>Displacement</u>: 3.2 Liters (193 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters Dual Heated Oxygen Sensors (two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle	Miles	Non-Methane	Carbon	Nitrogen	Carbon
Weight (1bs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20<sup>0</sup>F)</u>
3751-5750	50,000	0.32	4.4	0.7	12.5
	100,000	0.40	5.5	0.97	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle	<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon
Weight (lbs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20<sup>0</sup>F)</u>
3751-5750	50,000	0.13	1.2	0.4	11.4
	100,000	0.15	1.4	0.48	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_\_ day of September 1995.

R. B. Summerfield Assistant Division Chief Mobile Source Division

F.	0.	#	Α-	20-	14	7
- •	•	11				•

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1 of 1

Manufacturer:	ISUZU MOTO	RS LIMITED	_ Exh E	Engine	Family:	TSZ3.22J	GKEK
Evap Std: 50K	X Useful Li	fe with R/L _	Evap	Engine	e Family:	TSZ1058A	YMBO
Exh Std: Tier-	0 Tier-1 <u>X</u>	TLEVLEV_	ULEV	ZEV_	; EPA	Tier-OT	ier-1 <u>X</u>
Veh Class(es)	: PC LDT1	LDT2 <u>X</u> _	MDV1	MDV2	MDV3_	MDV4	MDV5
Single Cert St	d for Multi-Cla	ss Eng Fam: _l	N/A (spec	cify: I	N/A, LDT1,	MDV1, MDV2,	MDV3, MDV4)
Exh Cert Fuel(	s): Indo <u>X</u> Ph	2 Diesel:	13 CCR 22	282	or 40 CFR	86.113-90_	_ or -94
	M85CN	GLPG	Other (sp	pecify	)		
Fuel Type(s):	Dedicated <u>X</u> F	lex-Fuel	Dual-Fuel		Gasoli	ne <u>X</u> Diese	1 M85
	CNG LNG	LPG Other	r (specify	y)			
Hybrid: Type A	в с,	APU Cycle (e.	g., Otto,	Diese	l, Turbine	)	
Engine Configu	ration: V6	Displacemen	t: <u>3.2 /</u>		Liters _	193 / (	Cubic Inches
Engine: Front	<u>X</u> Mid	Rear	Drive:	FWD	RWD_X	4WD-FT	_ 4WD-PT <u>X</u> _
Exhaust ECS (e	g., EGR, MFI, T	c, cac):		SFI, E	GR, 2TWC,	2H02S(2)	1011
	Exhaust ECS (eg., EGR, MFI, TC, CAC):  SFI, EGR, 2TWC, 2H02S(2)  (use abbreviations per SAE J1930 SEP91)						
figine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type A-automatic M-manual	ETW or Test WT	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
322KE-1 (50ST)	UK-S3 UK-S1 UK-S3 ZK-S1	. А	4500 4750		PCM 816215249 816215249 816215249 816234869	11 22 33 00 01 817096- 00 1780 00 00	8971208151
Vehicle Model	UK-S1; TROC UK-S3; TROC ZK-S1; ACUF	PER 4WD, Long PER 4WD, Shor RA SLX 4WD, Lo	t Wheelba	.se			

Date Issued: 96B-02

Revisons: 96B-06 96B-AC-02 96B-AC-03